



URJA SEALANTS PVT. LTD

Technical Specification

PVC UNDERBODY-COATING

Sr.No	Characteristics	Result
1	Base	PVC – ACRYLIC RESIN
2	Colour	Dark Grey / Black
3	Viscosity	90-95 Sec. (Ford Cup-B-4)
4	Air-Drying Time	Touch Dry- 20 Min Hard Dry- 12 Hrs
5	Self Life	9 Months From Date Of Packaging
6	Temperature Stability	8°C to 56°C
7	Adhesion	Very Good Adhesion To Bare Metal, M-S And Various Substrate
8	Solid Content	60-63 Percent
9	UV-Resistance	Very Good
10	Weather ability	Very Good
11	Chemical Resistance	Good
12	Salt Spray (Test) As Per ASTM	450 Hrs Passes