

PREMIUM LINEAR LED LIGHTING

INDEX

PREMIUM LINEAR LED LIGHTING



ALS/BASIC/LP 01-01



ALS/BASIC/LP 01-04



ALS/TRIPLE/LP 03-01



ALS/RETAIL/SURFACE-01



ALS/GLASSSHELF/RECESSED

12



ALS/BASIC/LP 01-02



ALS/BASIC/LP 01-05



ALS/TRIPLE/LP 03-02

ALS/RETAIL/RECESSED-01

10



ALS/GLASSSHELF/SURFACE 12




ALS/BASIC/LP 01-03



ALS/BASIC/LP 02-01



ALS/HANGER ROD



ALS/RETAIL/GLASS MOUNTED-01

11



ALS/WALL/T/LP 05-02

13



ALS/WALL/S/+/LP 05-03




ALS/H.RAIL/LP 08-01 16



ALS/COVE/V/LP 09-01 19



ALS/LINEA 25x25 TRIM



ALS/LINEA 25x25 22



ALS/WALL/T/UP-DOWN/LP 05-01 ALS/WALL/S/UP-DOWN/LP 05-04



ALS/FOOT LIGHT/LP 07-01



ALS/COVE/H/LP 09-03



ALS/LINEA 15x30



ALS/LINEA 30x50






ALS/BIG CORNER/LP 02-03 18



ALS/LINEA 25x30



ALS/LINEA 15x25 TRIM



ALS/LINEA 30x50 TRIM

PREMIUM LINEAR LED LIGHTING

INDEX

PREMIUM LINEAR LED LIGHTING


INDEX



ALS/LINEA 50x50 24



ALS/LINEA 50x50 TRIM



ALS/LINEA 60x80



ALS/LINEA 48 UP-DOWN/D



ALS/LINEA 90/WOT/D



ALS/LINEA 112/WT/D



ALS/LINEA 77x80 TRIM 25



ALS/ECO 35x35



ALS/ECO 35x35 TRIM 27



ALS/LINEA 0.90UP-DOWN/D



ALS/LINEA 0.135/WOT/D 35



ALS/GLOW/3D/T5 OR LED 37



ALS/ECO 50x35



ALS/ECO 50x35 TRIM



ALS/ECO 75x35



ALS/PANELL/T5 OR LED



ALS/HIGH/PENDENT/228.1



ALS/HIGH/WALL/255.1



ALS/ECO 75x35 TRIM 29



ALS/ECO/FLAT/50x70/D 30




ALS/HIGH/TABLE LAMP/455.1



ALS/MOON LIGHT/WT/D



ALS/MOON LIGHT/WOT/D



ALS/ECO/SQUARE/50x70/D

30



30

ALS/LINEA 48/WOT/D 33



ALS/LINEA 48L/WOT/D 33



ALS/MOON LIGHT/SUSPENDED/D





FACADE & OUTDOOR LIGHTING 43-44



CUSTOMIZED LIGHTING

45-46

ALS/BASIC/LP 01-01











These Profiles are suitable for many Interior Designing and Architectural applications such as Furniture, Kitchen Countertops, Cabinets, Shelves, Shop windows (Retail Display) Staircase Lights, Handrails lighting ETC. Possibilities are endless. These profiles are 12mm in height so led's are less visible.

Can be customized forIP68 Applications for indirect outdoor applications. ALS Profiles comes with snap fit front loaded Poly carbonate diffusers (Transparent or Frosted or Opal) . These are easy to install and can be easily cut to desired length. Mounting Clips and End Caps. The maximum length of profile is 3meter.






- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)
- Clamps Spring Steel





ALS/BASIC/LP 01-02

















- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)
- Clamps Spring Steel







ALS/BASIC/LP 01-03



- Anodized Aluminum Profile, L - 3000mm / W - 16mm / H - 6mm
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)
- Clamps Spring Steel


























ALS/BASIC/LP 01-04










ALS Premium LED Aluminum Profiles works as the connector between LED Strips and the Application Area and provide a Stylish sleek & finished look. The ALS Premium LED Aluminum Profiles provides a stable surface for mounting in straight lines in Coves, Behind Furniture etc where you need Indirect Lighting. It also increases the life of LED strips as it works as heat sinks, It also saves LED from dust, paint and makes LED strip Reusable.

This is the slimmest led profile only 6mm height so leds are visible and recommended only for indirect installation.

All ALS Profiles comes with snap fit front loaded Poly carbonate diffusers (Transparent or Frosted or Opal) , Mounting Clips and End Caps. These are easy to install and can be easily cut to desired length. The maximum length of profile is 3meter.



- Anodized Aluminum Profile, L - 3000mm / W - 22mm / H - 6mm
- Cutout Size 16.5mm
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)







ALS/BASIC/LP 01-05











These are the sleekest round Profiles just 18.5mm. These can be used for many Interior Designing and Architectural applications such as Retail showcase Display, Picture lights, Wall lights, Suspended Task lights, Pedestal lighting ETC. The Possibilities are endless.

These profiles are less than 19mm in height so led's are less visible.













- Anodized Aluminum Profile,
- L 3000mm / W 18.5mm / H -16mm
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)
- Clamps Spring Steel







ALS/BASIC/LP 02-01













- Anodized Aluminum Profile, L - 3000mm / W - 19mm / H -19mm 45 Degree Angle
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)
- Clamps Spring Steel

These Profiles are triangular shaped & gives light in 45 degree. These profiles are best for cove lights because it throws the light in 45 degrees that's why all the light comes out and not wasted inside the cove and so you put less led strips in coves getting better results & also you save lots of electricity in this process. These are also suitable for Angular Furniture applications such as Kitchen Cabinet doors, Shelves, Shop windows (Retail Display) Staircase lighting ETC. Possibilities are endless. Can be customized forIP68 Applications for Façade and outdoor applications ALS Profiles comes with snap fit front loaded Poly carbonate diffusers.







ALS/TRIPLE/LP 03-01




These ALS Stylish sleek Aluminum Profiles are most suitable for the applications where you need more light and can be used taking minimal space for mounting in straight lines. ie: you can use them in Modular kitchen counter tops where you need continuous light rather than using spots or you can use it in Coves where you can use all the three lines for different colors like white light ,natural of warm white or mood lighting (RGB) or any other different color light.










ALS/TRIPLE/LP 03-02












- Anodized Aluminum Profile, L - 3000mm / W - 57mm OR 60mm / H - 9mm
- Cutout Size 50mm
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)






ALS/HANGER ROD



- Anodized Aluminum Profile, L - 3000mm / W - 15mm / H - 30mm
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted
- End Cap Plastic (ABS)
- Accessories Plastic (ABS)












ALS/RETAIL/SURFACE-01



- Anodized Aluminum Profile, L - 3000mm / W - 32mm / H - 13mm
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted
- End Cap Plastic (ABS)




These surface mounted Profiles are Angular and only throws light on the product and you will not find any glare may you see it from any angle therefore best profiles for retail industry. These are also suitable for Angular Furniture applications such as Shop windows (Retail Display) ETC



ALS/RETAIL/RECESSED-01




These Recessed Angular Profiles only throws light on the product and you will not find any glare on the eyes may you see it from any angle therefore best profiles for retail industry. These are also suitable for Angular Furniture applications such as Shop windows (Retail Display) ETC






- Anodized Aluminum Profile, L - 3600mm / W - 30mm / H - 18mm
- Cutout Size 25mm
- PC Diffuser L=3600mm
- PC Diffuser Opal/Frosted
- End Cap Plastic (ABS)






ALS/RETAIL/GLASS MOUNTED-01



This is a unique product and a blessing for existing retail establishments who have installed the Glass shelves and not getting enough light on the displayed products. These Glass mounted Profiles can be directly fitted upon Glass shelf and gives the light on the lower counter, because these are Angular it only throws light on the products and you will not find any glare from any angle.

- Anodized Aluminum Profile, L - 3600mm / W - 25mm / H - 23mm
- PC Diffuser L=3600mm
- PC Diffuser Clear/Frosted
- End Cap Plastic (ABS)










ALS/GLASSSHELF/RECESSED







ALS/GLASSSHELF/SURFACE



- Anodized Aluminum Profile, L - 3600mm / W - 32mm / H - 30mm















ALS/WALL/T/LP 05-02



These are wall mounted Triangle profiles for Indirect up Lighting. Essential and minimal for perfect integration into the surrounding Architectural spaces. Really thin but with really high lighting performances. A unique device for even and spotless asymmetrical lighting.

- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 26mm / H -65mm
- Anodized Back Profile = L 3600mm
- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)


















ALS/WALL/S/+/LP 05-03



- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 25mm / H - 32mm
- Anodized Back Profile = L 3600mm
- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)











ALS/WALL/T/UP-DOWN/LP 05-01

ALS/WALL/S/UP-DOWN/LP 05-04





These are wall mounted Tappered profiles for Indirect Lighting. Essential and minimal for perfect integration into the surrounding Architectural spaces. Really thin but with really high lighting performances. A unique device for even and spotless asymmetrical lighting. Can be used for up lighting or down lighting applications.

Can be customized for IP68 Applications for Façade and outdoor applications. ALS Profiles comes with snap fit front loaded Poly carbonate diffusers (Frosted or Opal). These profiles can be easily cut to desired lengths. With Extruded Click fit Mounting Brackets it is really easy to install. END CAPS Available. The maximum length of profile is 3.6 meter.

- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 33mm / H - 57mm
- Anodized Back Profile = L 3600mm
- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)







- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 35MM / H - 85MM
- Anodized Back Profile = L 3600mm
- PC Diffuser L=3600mm
- PC Diffuser Opal
- End Cap Plastic (ABS)





ALS/H.RAIL/LP 08-01



- Anodize Aluminum Profile L - 3000mm / W - 23mm / H - 23mm
- Accessories Plastic (ABS)
- PC Diffuser L=3000mm
- PC Diffuser Clear/Frosted/Opal
- End Cap Plastic (ABS)










ALS/FOOT LIGHT/LP 07-01



- Anodized/PU Coated Aluminum Profile
- L 3600mm / W 32mm / H 80mm
- Cutout Size 72mm
- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)
- With All Accessories







ALS/BIG CORNER/LP 02-03




- Anodized/PU Coated Aluminum Profile L - 3000mm / W - 50mm / H - 50mm
- Anodized Back Profile = L 3000mm
- PC Diffuser L=3000mm
- PC Diffuser Opal
- End Cap Plastic (ABS)







ALS/COVE/V/LP 09-01








ALS/COVE/H/LP 09-03







- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 35mm / H - 45mm
- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal - End Cap - Plastic (ABS)



L - 3600mm / W - 35mm / H - 72mm


- Anodized/PU Coated Aluminum Profile

- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)






ALS/LINEA 25x30



L - 3600mm / W - 25mm / H - 30mm





ALS/LINEA 25x25 TRIM

- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)

- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)







ALS/LINEA 15x30



- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 15mm / H - 30mm

- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)





- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 23mm / H - 25mm

- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)













ALS/LINEA 25x25



- Anodized/PU Coated Aluminum Profile L - 3600mm / W - 25mm / H - 25mm
- PC Diffuser L=3600mm
- PC Diffuser Frosted/Opal
- End Cap Plastic (ABS)







ALS/LINEA 30x50



- Anodized Aluminum Profile L - 3600mm / W - 30mm / H - 51mm
- Satin Diffuser L= 2400mm
- Satin Diffuser Frosted/Opal
- End Cap MS





ALS/LINEA 30x50 TRIM




- Anodized Aluminum Profile L - 3600mm / W - 40mm / H - 51mm (Cutout 34mm)
- Satin Diffuser L= 2400mm
- Satin Diffuser Frosted/Opal
- End Cap MS



ALS/LINEA 50x50



- Anodized Aluminum Profile L - 3600mm / W - 50mm / H - 51mm
- Satin Diffuser L= 2400mm







- Anodized Aluminum Profile L - 3600mm / W - 65mm / H - 51mm (Cutout 55mm)
- Satin Diffuser L= 2400mm
- Satin Diffuser Frosted/Opal
- End Cap MS



ALS/LINEA 60x80



- Anodized Aluminum Profile L - 3600mm / W - 60mm / H - 80mm
- (For T5 Lamp or LED) (Batten Optional)
- Satin Diffuser L= 2400mm
- Satin Diffuser Frosted/Opal
- End Cap MS





- Anodized Aluminum Profile L - 3600mm / W - 77mm / H - 80mm
- Cutout Size 65mm
- (For T5 Lamp or LED) (Batten Optional)
- Satin Diffuser L= 2400mm
- Satin Diffuser Frosted/Opal
- End Cap MS














ALS/ECO 35x35



- Anodized Aluminum Profile L - 3600mm / W - 35mm / H - 35mm
- PC Satin Diffuser L= 3600mm
- End Cap ABS







- Anodized Aluminum Profile L - 3600mm / W - 50mm (Cutout 37mm)



ALS/ECO 50x35



- Anodized Aluminum Profile
- L 3600mm / W 50mm / H 35mm
- PC Satin Diffuser L= 3600mm
- End Cap ABS

ALS/ECO 50x35 TRIM



- Anodized Aluminum Profile
- L 3600mm / W 65mm (Cutout 55mm)

/ H - 35mm

- PC Satin Diffuser L= 3600mm
- End Cap ABS





ALS/ECO 75x35



- Anodized Aluminum Profile L - 3600mm / W - 75mm / H - 35mm
- PC Satin Diffuser L= 3600mm
- End Cap ABS

ALS/ECO 75x35 TRIM



- Anodized Aluminum ProfileL 3600mm / W 90mm (Cutout 80mm)/ H 35mm
- PC Satin Diffuser L= 3600mm
- End Cap ABS



ALS/ECO 70x90




- Anodized Aluminum Profile
- L 3600mm / W 70mm / H 90mm
- -Profile For Internal Driver
- -Mirror Optic Reflector
- PC Diffuser
- End Cap ABS

ALS/ECO/FLAT/50x70/D




- Anodized Aluminum Profile
- L 3600mm / W 50mm / H 70mm
- Anodized Back Profile = L 3600mm
- PC Diffuser L= 3600mm
- PC Diffuser Opal
- End Cap Plastic (ABS)
- Suspension Wire Optional

ALS/ECO/SQUARE/50x70/D



- Anodized Aluminum Profile
- L 3600mm / W 50mm / H 70mm
- Anodized Back Profile = L 3600mm
- PC Square Diffuser L= 3600mm
- PC Square Diffuser Opal
- End Cap Plastic (ABS)
- Suspension Wire Optional











ALS/LINEA 48/WOT/D



ALS/LINEA 48L/WOT/D



ALS/LINEA 48 UP-DOWN/D




- Anodized Aluminum Profile L - 3600mm / W - 48mm / H - 48mm
- PC Satin Diffuser L= 3600mm
- End Cap Plastic (ABS)
- Suspension Wire Optional
- Pre- Wired Batten Optional


- Anodized Aluminum Profile L - 3600mm / W - 48mm / H - 70mm
- PC Satin Diffuser L= 3600mm
- End Cap Plastic (ABS)
- Suspension Wire Optional
- Pre- Wired Batten Optional

- Anodized Aluminum Profile L - 3600mm / W - 48mm / H - 100mm
- PC Satin Diffuser L= 3600mm
- End Cap Plastic (ABS)
- Suspension Wire Optional
- Pre- Wired Batten Optional











ALS/LINEA 90/WOT/D



ALS/LINEA 112/WT/D



ALS/LINEA 0.90UP-DOWN/D



ALS/LINEA 0.135/WOT/D



- Anodized Aluminum Profile L - 3600mm / W - 90mm / H - 100mm
- PC Satin/Opal Diffuser L= 3600mm
- End Cap Plastic (ABS)
- Suspension Wire Optional
- Pre- Wired Batten Optional
- Surface Mounted, Semi Recessed/ Recessed Mounted & Suspended
- Anodized Aluminum Profile L - 3600mm / W - 112mm / H - 100mm
- Cutout Size 95mm
- PC Satin/Opal Diffuser L= 3600mm
- End Cap Plastic (ABS)
- Suspension Wire Optional
- Pre- Wired Batten Optional
- Recessed Only
- Anodized Aluminum Profile L - 3600mm / W - 90mm / H - 136mm
- PC Satin/Opal Diffuser L= 3600mm
- End Cap Plastic (ABS)/MS
- Suspension Wire Optional
- Pre- Wired Batten Optional
- Suspended or Wall Mounted
- Anodized Aluminum Profile L - 3600mm / W - 135mm / H - 90mm
- PC Satin/Opal Diffuser L= 3600mm
- End Cap Plastic (ABS)/Aluminium
- Suspension Wire Optional
- Pre- Wired Batten Optional
- (For Tech-zone Ceiling)Surface Mounted/ Recessed Mounted & Suspended















ALS/GLOW/3D/T5 OR LED



- Anodized Aluminum Profile L - 3600mm / W - 55mm / H - 80mm
- PC 3 Sides Diffuser L= 3600mm
- End Cap Plastic
- Suspension Wire Optional
- Pre Wired Batten Optional
- Surface Mounted or Suspended










ALS/PANELL/T5 OR LED



- Anti Glare Shield
- L 3700mm / W 75mm / H 120mm
- Anodized Aluminum Profile 3600mm
- End Cap Plastic
- Profile Connector
- Suspension Wire Optional
- Pre Wired Batten Optional
- Wall Mounted (Horizontal)







ALS/HIGH/PENDENT/228.1



ALS/HIGH/WALL/255.1










ALS/HIGH/TABLE LAMP/455.1



ALS/HIGH/PEDESTAL/455.1





ALS/MOON LIGHT/WT/D

Sizes:- 390mm & 530mm



ALS/MOON LIGHT/WOT/D

Sizes:- 370mm, 510mm & 810mm





ALS/MOON LIGHT/SUSPENDED/D

Sizes:- 370mm, 510mm & 810mm



- Housing in sheet metal powder coated in matt white
- Recessed Mounted luminary in circular T5 or LED
- Housing for recessed installation with ceiling trim
- Diffuser in Satin PC for optimal glare reduction
- Change of lamp and ballast just by opening of diffuser
- Lamp Type FDH-G5
- Housing in sheet metal powder coated in matt white
- Recessed, Semi Recessed, Surface Mounted luminary in circular T5 or LED
- Housing for Recessed, Semi Recessed, Surface Mounted installation without ceiling trim
- Diffuser in Satin PC for optimal glare reduction
- Change of lamp and ballast just by opening of diffuser
- Lamp Type FDH-G5
- Housing in sheet metal powder coated in matt white
- Pendant luminary in circular T5 or LED
- Housing for Pendant installation with ceiling trim & Suspension Kit
- Diffuser in Satin PC for optimal glare reduction
- Change of lamp and ballast just by opening of diffuser
- Lamp Type FDH-G5

















ALS Specialises in making customised lighting in fabric, metal etc.
These can be used in high end residences, hotels, Resturents, Spa's, Retail studios etc