

Yamato[®]

CF SERIES

Flat bed 3 Needle Interlock Stitch Machine

***Yamato's CF series strongly help you
to win success from the most crucial
competition at quality, cost, and delivery.***



Yamato's CF series strongly from the most crucial comp

Offering ideal seam.

Yamato's seam is high in elasticity and strong in durability.
You can enjoy high quality finish.


There is no problem in sewing with synthetic fiber thread.

HR Device (Silicone supplying unit for needle point) and
SP Device (Silicone supplying unit for needle thread)
to avoid thread breakage and skip stitch are equipped
as standard.



Easy way to prevent skip stitching.

Fine adjustment of Loper locus according to needle size can be
done easily.




Solving oil leakage.

New oil seal prevents oil from leaking at needle bar area.



Ready-to use package and easy handling (CF230)

In addition to newly designed covers with which operators can set
user friendly fabric guides are included for good quality finish in h



EFA-1/605

help you to win success at quality, cost, and delivery.

Keeping out the small dust.

The oil can stay clean with a filter, which is easy to replace.



Easy threading.

Threading for Looper thread can be easily done by swinging up thread take-up eyelet.



Pushbutton stitch length regulator.

Stitch length is freely adjustable with pushbutton system. The pushbutton can also be locked to prevent the set stitch length from being changed against your will.



Lever-adjustable differential feed.


Differential ratio according to materials can be adjusted by pushing a lever up and down. Differential lever can be adjusted even while the machine is running. The lever is completely covered at the time of sewing so that smooth flow of fabric is obtained.



... hands closer to needle dropping point,
... ing and covering.



Numbering on Model: **CF2303M-156M/FC**



- ① Symbol of series ② Class No. ③ Number of Needle: 3 = 2,3 needle ④ Submodel by Application
- ⑤ Top Cover Thread Mechanism: 1 = with Top Cover Thread Mechanism
- ⑥ Needle Distance: 56 = 5.6mm ⑦ Shape of Stitch Tongue on Stitch Plate ⑧ Device(s)

Specification

Model	Application										
CF2300M	For Decorative seam etc. LSa-1/605	UY128GAS 3 (2)	5 (4)	4.8 5.6 6.4	1.4 - 3.6			6	31	5500	
CF2303M	For Binding BSb-1/605	UY128GAS 3 (2)	5 (4)	3.2 4.0 4.8 5.6 6.4	1.4 - 3.6		1.0.7 - 1.2	5	31	5500	
CF2339M	For Attaching Lace LSa-1/605	UY128GAS 3 (2)	5 (4)	4.0 4.8 5.6	1.4 - 3.6			4	31	5000	



Specification and appearance on this catalogue are subject to change without notice.
For correct handling of products described on this catalog, please read instructions carefully before operation.



YAMATO SEWING MACHINE MFG. CO., LTD.

YAMATO WEB SITE URL: <http://www.yamato-sewing.com>

HEAD OFFICE

4-12, 4-CHOME, NISHI-TENMA, KITA-KU,
OSAKA, 530-0047, JAPAN
TEL: +81-6-6364-5621 FAX: +81-6-6364-7185
E-mail: export-dept@yamato-sewing.com

YAMATO U.S.A. INC. (Head Office) 3465 LAKEMONT BLVD. FORT MILL, SC 29715 U.S.A. Tel: +1-803-548-0334 Fax: +1-803-548-0405	YAMATO MEXICO OFFICE C/O CASA DIAZ DE MAQUINAS DE COSER, S.A. DE C.V. FRAY SARAVANDO TERESA DE MIER NO. 29, COLONIA OBRERA MEXICO D.F. C.P. 06600 Tel: +52-55-5764-9090 Fax: +52-55-5678-1470	YAMATO EUROPE GmbH. HAMBURG-FREIHOFF STRASSE 4 D-20587 HAMBURG GERMANY Tel: +49-40-35347-0 Fax: +49-40-354371 E-mail: sales@yamato.de	YAMATO (HONG KONG) CO., LTD. RM 1417, TUNG YING BLDG., 105 NATHAN ROAD, KOWLOON, HONG KONG Tel: +852-2721-0251 Fax: +852-2723-0444 E-mail: yamato@yamato-sewing.com.hk
YAMATO SINGAPORE PTE. LTD. 6 HARPER ROAD #03-01, LEONG HUAJ BLDG., SINGAPORE 369674 Tel: +65-287-1955 Fax: +65-287-1028 E-mail: yamato@cyberway.com.sg	YAMATO SINGAPORE PTE. LTD. India liaison office NO 7 VALAWANADU MAIN ROAD C.K.P. LAYOUT OFF R.K.S. COMPLEX, KUMARI NAGAR, TRIPUNJAVUR INDIA Sales-HP: +91-85432-60710, Service-HP: +91-8422-58584 Fax: +91-422-385-737 E-mail: yamato22@rediffmail.com	YAMATO SEWING MACHINE (NINGBO) CO., LTD. NO. 1M SPANG STANDARD FACTORY ZONE, WEST HENGSHAN RD, BELLEN, NINGBO, ZHEJIANG PROVINCE, P.O. 315800 CHINA Tel: +86-574-86805518, 86805559 Fax: +86-574-86806555 E-mail: yamato-china@yamato-sewing.com	YAMATO SEWING MACHINE MFG. CO., LTD. QINGDAO OFFICE SUNG-HOY TOWER 2007, 91, XIANG GANG ROAD, QINGDAO, CHINA, 266071 Tel: +86-532-5783175 Fax: +86-532-5783172