



Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,  
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,  
(Suitable For 150mm Bore Dia) Submersible Pump Sets.



Maxl. Head Per Stage - 50 Feet

AP6S-50				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	190	170	145	130	120	95	65	0
AP6S-5036	3.0	6	2"	12180/-	33330/-	36	48	60	66	72	78	84	91
AP6S-5048	4.0	8	2"	14760/-	37990/-	48	64	80	88	96	104	112	122
AP6S-50510	5.0	10	2"	17340/-	42120/-	60	80	100	110	120	130	140	152
AP6S-50612	6.0	12	2"	19920/-	47270/-	72	96	120	132	144	156	168	183
AP6S-507515	7.5	15	2"	23790/-	53620/-	90	120	150	165	180	195	210	229
AP6S-501020	10.0	20	2"	30240/-	65030/-	120	160	200	220	240	260	280	305
AP6S-5012525	12.5	25	2"	36700/-	75740/-	150	200	250	275	300	325	350	381
AP6S-501530	15.0	30	2"	43140/-	86400/-	180	240	300	330	360	390	420	457

Total Head in Meters

Maxl. Head Per Stage - 50 Feet

AP6S-60				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	235	215	190	175	160	135	110	0
AP6S-6035	3.0	5	2"	10890/-	32040/-	30	40	50	55	60	65	70	76
AP6S-6047	4.0	7	2"	13470/-	36700/-	42	56	70	77	84	91	98	107
AP6S-6058	5.0	8	2"	14760/-	39540/-	48	64	80	88	96	104	112	122
AP6S-60610	6.0	10	2"	17340/-	44690/-	60	80	100	110	120	130	140	152
AP6S-607512	7.5	12	2"	19920/-	49750/-	72	96	120	132	144	156	168	183
AP6S-601016	10.0	16	2"	25080/-	59870/-	96	128	160	176	192	208	224	244
AP6S-6012520	12.5	20	2"	30240/-	69280/-	120	160	200	220	240	260	280	305
AP6S-601525	15.0	25	2"	36700/-	79960/-	150	200	250	275	300	325	350	321
AP6S-6017530	17.5	30	2"	43140/-	92000/-	180	240	300	330	360	390	420	497

Total Head in Meters





Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,  
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,  
(Suitable For 150mm Bore Dia) Submersible Pump Sets.



Maxl. Head Per Stage - 50 Feet

AP6S-80				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	310	280	240	220	195	165	120	0
AP6S-8034	3.0	4	2"	9920/-	31070/-	24	32	40	44	48	52	56	61
AP6S-8045	4.0	5	2"	11290/-	34520/-	30	40	50	55	60	65	70	76
AP6S-8056	5.0	6	2"	12660/-	37440/-	36	48	60	66	72	78	84	91
AP6S-8068	6.0	8	2"	15400/-	42750/-	48	64	80	88	96	104	112	122
AP6S-807510	7.5	10	2"	18140/-	47970/-	60	80	100	110	120	130	140	152
AP6S-801012	10.0	12	2"	20890/-	55680/-	72	96	120	132	144	156	168	183
AP6S-8012515	12.5	15	2"	25000/-	64040/-	90	120	150	165	180	195	210	229
AP6S-801518	15.0	18	2"	29110/-	72370/-	108	144	180	198	216	234	252	274
AP6S-8017521	17.5	21	2"	33220/-	82080/-	126	168	210	231	252	273	294	320
AP6S-802025	20.0	25	2"	38710/-	93320/-	150	200	250	275	300	325	350	381
AP6S-802531	25.0	31	2"	46930/-	109870/-	186	248	310	341	372	403	434	473

Total Head in Meters

Maxl. Head Per Stage - 50 Feet

AP6S-100				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	380	355	320	290	260	235	205	0
AP6S-10033	3.0	3	2"	8550/-	29700/-	18	24	30	33	36	39	42	46
AP6S-10044	4.0	4	2"	9920/-	33150/-	24	32	40	44	48	52	56	61
AP6S-10055	5.0	5	2"	11290/-	36070/-	30	40	50	55	60	65	70	76
AP6S-10066	6.0	6	2"	12660/-	40010/-	36	48	60	66	72	78	84	91
AP6S-100758	7.5	8	2"	15400/-	45230/-	48	64	80	88	96	104	112	122
AP6S-1001010	10.0	10	2"	18140/-	52930/-	60	80	100	110	120	130	140	152
AP6S-10012513	12.5	13	2"	22250/-	59550/-	78	104	130	143	156	169	182	198
AP6S-1001515	15.0	15	2"	25000/-	68260/-	90	120	150	165	180	195	210	229
AP6S-10017518	17.5	18	2"	29110/-	77970/-	108	144	180	198	216	234	252	274
AP6S-1002020	20.0	20	2"	31850/-	86460/-	120	160	200	220	240	260	280	305
AP6S-1002525	25.0	25	2"	38710/-	101650/-	150	200	250	275	300	325	350	381
AP6S-1003030	30.0	30	2"	45560/-	117560/-	180	240	300	330	360	390	420	457

Total Head in Meters





Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,  
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,  
(Suitable For 150mm Bore Dia) Submersible Pump Sets.



Maxi. Head Per Stage - 50 Feet

AP6S-125				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	520	475	430	390	350	310	270	0
AP6S-12543	4.0	3	2.5"	8830/-	32060/-	18	24	30	33	36	39	42	46
AP6S-12554	5.0	4	2.5"	10300/-	35080/-	24	32	40	44	48	52	56	61
AP6S-12565	6.0	5	2.5"	11760/-	39110/-	30	40	50	55	60	65	70	76
AP6S-125756	7.5	6	2.5"	13230/-	43060/-	36	48	60	66	72	78	84	91
AP6S-125108	10.0	8	2.5"	16150/-	50940/-	48	64	80	88	96	104	112	122
AP6S-12512510	12.5	10	2.5"	19080/-	58120/-	60	80	100	110	120	130	140	152
AP6S-1251512	15.0	12	2.5"	22010/-	65270/-	72	96	120	132	144	156	168	183
AP6S-12517514	17.5	14	2.5"	24940/-	73800/-	84	112	140	154	168	182	196	213
AP6S-1252016	20.0	16	2.5"	27870/-	82480/-	96	128	160	176	192	208	224	244
AP6S-1252520	25.0	20	2.5"	33730/-	96670/-	120	160	200	220	240	260	280	305
AP6S-1253024	30.0	24	2.5"	39590/-	111590/-	144	192	240	264	288	312	336	366

Total Head in Meters

Maxi. Head Per Stage - 50 Feet

AP6S-150				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	525	490	460	430	405	370	325	0
AP6S-15032	3.0	2	2.5"	7390/-	28540/-	12	16	20	22	24	26	28	30
AP6S-15053	5.0	3	2.5"	8870/-	33650/-	18	24	30	33	36	39	42	46
AP6S-15064	6.0	4	2.5"	10350/-	37700/-	24	32	40	44	48	52	56	61
AP6S-150755	7.5	5	2.5"	11830/-	41660/-	30	40	50	55	60	65	70	76
AP6S-150107	10.0	7	2.5"	14780/-	49570/-	42	56	70	77	84	91	98	107
AP6S-1501258	12.5	8	2.5"	16260/-	55300/-	48	64	80	88	96	104	112	122
AP6S-1501510	15.0	10	2.5"	19220/-	62480/-	60	80	100	110	120	130	140	152
AP6S-15017512	17.5	12	2.5"	22180/-	71040/-	72	96	120	132	144	156	168	183
AP6S-1502013	20.0	13	2.5"	23650/-	78260/-	78	104	130	143	156	169	182	198
AP6S-1502516	25.0	16	2.5"	28090/-	91030/-	96	128	160	176	192	208	224	244
AP6S-1503020	30.0	20	2.5"	34000/-	106000/-	120	160	200	220	240	260	280	305

Total Head in Meters





Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,  
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,  
(Suitable For 150mm Bore Dia) Submersible Pump Sets.



Maxl. Head Per Stage - 50 Feet

AP6S-200				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	680	635	580	550	510	455	395	0
AP6S-20042	4.0	2	2.5"	7450/-	30680/-	12	16	20	22	24	26	28	30
AP6S-20063	6.0	3	2.5"	8950/-	36300/-	18	24	30	33	36	39	42	46
AP6S-200754	7.5	4	2.5"	10460/-	40290/-	24	32	40	44	48	52	56	61
AP6S-200105	10.0	5	2.5"	11960/-	46750/-	30	40	50	55	60	65	70	76
AP6S-2001256	12.5	6	2.5"	13470/-	52510/-	36	48	60	66	72	78	84	91
AP6S-200158	15.0	8	2.5"	16480/-	59740/-	48	64	80	88	96	104	112	122
AP6S-2001759	17.5	9	2.5"	17980/-	66840/-	54	72	90	99	108	117	126	137
AP6S-2002010	20.0	10	2.5"	19490/-	74100/-	60	80	100	110	120	130	140	152
AP6S-2002513	25.0	13	2.5"	24000/-	86940/-	78	104	130	143	156	169	182	198
AP6S-2003015	30.0	15	2.5"	27010/-	99010/-	90	120	150	165	180	195	210	229

Total Head in Meters

Price For Only Motor						
H.P.	3.0	4.0	5.0	6.0	7.5	10.0
Price ₹	21960/-	24120/-	25730/-	28400/-	30980/-	36130/-
H.P.	12.5	15.0	17.5	20.0	25.0	30.0
Price ₹	40540/-	44920/-	50740/-	56710/-	65360/-	74770/-

Price For V-6 S.S. Bowl Set					
Model No.	50 No.	60 No.	80 No.	100 No.	125 No.
Price For S.S. 304 Bowl	880/-	880/-	940/-	940/-	1010/-
Price For S.S. 410 Impeller	310/-	310/-	310/-	330/-	340/-
Model No.	150 No.	200 No.	Suction	NRV-2"	NRV-2.5"
Price For S.S. 304 Bowl	1010/-	1040/-	1170/-	950/-	950/-
Price For S.S. 410 Impeller	360/-	360/-			

