

SB-2

CNC SINGLE BALL AND BEAD FACETING MACHINE



TECHNICAL SPECIFICATION

SB-2 SATIN

CONTROLLER	MAX CONTROL AXIS MAX SIM CONTROL AXIS AXIS	BOSCH REXROTH MTX-MICRO 2 3 B/C
MAIN SPINDLE	POWER KW MAX .SPEED RPM	0.1 3000
BALL SIZE	MM	3 TO 10
WORKING AREA	ROTARY AXIS	B 58/-58
MAX MOTOR TOURQUE	B	0.4
RESOLUTION	B	0.001
LUBRICATION		STANDARD
INSTALLED POWER	KW	1
PNEUMATIC SUPPLY	BAR	6
DIMENSION	L / B/ H INCH	38 X 35 X 59
WEIGHT	KG	150

SPECIFICATION

- * The computerised and numerically controlled (CNC) machine is capable of generating various decoration on flat and convex (Oval) surface.
- * The machine is equipped with CNC controller and AC servo motors to ensure lifelong maintenance free working.
- * The CNC controller is compatible with leading CAD/CAM software available in the market. The programs are generated in (G) codes and (M) codes. The program can also be generated manually.
- * All the machine components are machined on precision CNC machine and are hardened and grounded. These components are individually inspected for the accuries. The machine is assemble in a controlled environment.



Solanki Mechanic Works

40-W, Bhaktinagar, Udhyognagar, GIDC, Ind. Estate, Rajkot - 360 002 (Gujarat) India.
☎ +91 281 2362189 | 📞 +91 281 2376386 | 🌐 www.solio.com | ✉ info@solio.com