



EMM SB-2PM

CNC SINGLE BALL AND BEAD FACETING MACHINE



TECHNICAL SPECIFICATION

		SB-2PM
CONTROLLER	MAX CONTROL AXIS MAX SIM CONTROL AXIS AXIS	BOSCH REXROTH 5 4 Z,SP,C,A,B
NUMBER OF HEADS		HORIZONTAL
MAIN SPINDLE	SPINDLE AXIS MAX SPEED RPM MAX TOOL DIA MM MOTOR POWER WATTS	SP-1 12000 RPM 40 MM 400 W
BALL SIZE	MIN-MAX	2-6 MM
WORKING AREA	B/A Z	70/180 DEG 50 MM
MAX CONTROL TORQUE	B/A/C Z/SP	400 W 100 W
INSTALLED POWER	KW	4 KW
PNEUMATIC SUPPLY	BAR	6 BAR
DIMENTIONS	L/B/H INCH	34/27/62 INCH
WEIGHT	KG	325KG

SPECIFICATION

- * The computerised and numerically controlled (CNC) machine is capable of generating various decoration on convex (Oval) surface.
- * The machine is equipped with CNC controller and AC servo motors to ensure lifelong maintenance free working.
- * The CNC controller programs are generated in (G) codes and (M) codes manually.
- * All the machine components are machined on precision CNC machine and are hardened and grounded. These components are individually inspected for the accuries. The machine is assemble in a controlled environment.



Solanki Mechanic Works

40-W, Bhaktinagar, Udhoygnagar, GIDC, Ind. Estate, Rajkot - 360 002 (Gujarat) India.

☎ +91 281 2362189 | 📞 +91 281 2376386

✉ info@soliyo.com • solankimachines@gmail.com | 🌐 www.soliyo.com