



Pioneer Lab Equipments Mfgs. Since - 1975

HOT AIR OVEN (LAB OVEN) MIC-160



STANDARD SIZES AVAILABLE

| Size In Inches (In Cms.) | Rating Watts | No. of Shelves |
|--------------------------|--------------|----------------|
| 12" X 12" X 12" | 250 | 1 |
| 14" X 14" X 14" | 300 | 2 |
| 18" X 18" X 18" | 500 | 2 |
| 18" X 18" X 24" | 600 | 2 |
| 24" X 24" X 24" | 750 | 3 |
| 18" X 18" X 36" | 900 | 3 |
| 24" X 24" X 36" | 1000 | 3 |

- Sturdy Unit with Double Walled Construction.
- Inner Chamber made of S.S. and Outer made of Mild Steel Powder Coated.
- Gap between the walls fitted with glass wool insulation to avoid heat loss.
- Heating elements are made of high grade chrome plated nichrome wire.
- Temperature is controlled by thermostat / Digital Temperature Controller.
- Temperature range : 50 Deg. C to 200 Deg. C, Accuracy : +/-2 Deg. C.
- Air Ventilation is provided on top of the unit to remove the hot gases/fumes.
- In oven Heaters placed at the bottom side of the unit.
- All the control switches & pilot lamps are fitted on the front panel.
- Supplied with G.I. wire mesh Trays.
- Forced Air Circulation fan arrangement for uniform heating (Recommended for Bigger Sizes.)
- Optional : Digital Timer with alarm.
- Available in GMP model also

Manufactured by :
MODERN INDUSTRIAL CORPORATION