




SOURCING    STORING    SUPPLY

Part Code:  
MV-DSO / MV-DSOS



# Screw Lock Threaded Standoffs

Zinc Plated Steel: MV-DSO | Stainless Steel: MV-DSOS



## Metric Dimensions

|                               |             |
|-------------------------------|-------------|
| Thread                        | M3          |
| L +0.05 -0.13                 | 6.35        |
| C max                         | 7           |
| D nom                         | 4.92        |
| Sheet thickness               | 0.94 - 6.35 |
| Hole +0.08                    | 4.2         |
| Min distance to edge of sheet | 3.2         |

## Metric Performance Data: MV-DSO - MV-DSOS

|                           |           |      |
|---------------------------|-----------|------|
| Thread                    | M3        |      |
| Sheet thickness (mm)      | Steel     | 1    |
|                           | Aluminium | 1    |
| Installation (kN)         | Steel     | 5.85 |
|                           | Aluminium | 4.5  |
| Pushout (N)               | Steel     | 334  |
|                           | Aluminium | 225  |
| Torsional resistance (Nm) | Steel     | 1.2  |
|                           | Aluminium | 1.1  |

These tests have been conducted in laboratory conditions, these figures should therefore be used for guidance only.

Mob : 9483389951 | Off : 9901633822 | support@mvdfasteners.com | mvdfasteners@gmail.com

# 693/186/16 | Kanika Nagar | Kachanayakana Halli | Bommasandra Ind. Area | Bangalore - 99