



ATF-TQ-IIIH

Automatic Transmission fluid

PRODUCT DESCRIPTION

LUBXTAR ATF-TQ-IIIH is high performance, multifunctional fluid designed to meet the requirements of General Motors Dexron-IIIH, Ford Macron & Allison C-3 or C-4 specifications.

APPLICATIONS

Recommended for use modern vehicles. Also meets the hydraulic fluid requirements of certain industrial and mobile equipment.

FEATURES & BENEFITS

- Effective frictional characteristics for smooth shifting.
- Excellent fluidity at low temperature.
- Good protection against wear.
- Reduced foaming and fluid loss under severe service conditions.
- Protection against high-temperature deposits in heavy-duty service

SPECIFICATION & TYPICAL PROPERTIES

Grade	ATF-TQ-IIIH	
Mets the following specifications		
GENERAL MOTORSDEXRON -II(D),ALLISON ...C3 or C-4	x	
Typical Properties		
Test Parameters	ASTM Method	Typical values
Specific Gravity @ 15 °C	D 4052	0.859
Viscosity @40°C,cst	D 445	34.4
Viscosity @100°C,cst	D 445	7.2
viscosity Index, Min	D 2270	180
Flash Point(COC),°c, Min	D 92	200
Pour Point , °C, Max	D 97	-45
Colour	D 1500	Red

Manufactured by :

LUBXTAR INDUSTRIES PRIVATE LIMITED

Survey No.92,Gharat wadi,Near Khan Compound, Pelhar,

Vasai East, Mumbai Maharashtra -401208.

Customer Care No.: +91 8780097367

Email : lubxtarindustries@gmail.com

web.www.lubxtar.com

