

Lift & Shift



SPANTECH GH500 GANTRY HOIST CAPACITY 500 STANDARD EQUIPMENT

Single-phase 230V/50Hz or single-phase

110V/50Hz electric motor.

Swivel Hook with safety latch.

IP67 plug.

Frame with 4 aluminium wheels.

Upper limit safety device.

Control on single-phase version: Direct with 3-

pushbutton 1.5-m pendant control.

Positioning brake.

Self-braking motor with brake rectifier.

Applications

Thanks to its heavy duty structure and powerful motor, it can withstand continuous working tress at the construction site without effort.



| GH500 | | |
|----------------|-------|-----------|
| Max capacity | kg | 500 |
| Lifting speed | m/min | 17 Max |
| working height | m | 30 m. |
| voltage | V | 230V/50Hz |
| Motor power | kW | 1,5 kW |
| R.P.M. | rpm | 1300 |
| Nom. current | Α | 23 |
| Service type | | S3 50% |
| Level of noise | dB(A) | <72 |
| Hoist weight | Kg | 56 Kg |
| Rope diameter | mm | Ø8mm |

GH500 SPANTECH Gantry Hoists

GH500 SPANTECH GANTRY HOIST

Features

The builders gantry hoist can be used in construction building site, factories, mines, agriculture, dock and warehouse for installation of the machines, lifting the materials-cargoes, loading and unloading the trucks.

The product we produced is in compliance with the national standard.

The design of builders gantry hoist is reasonable.

The materials are of good quality.

The structure is advanced.

The appearance is beautiful and the size is compact,

The weight is light; the hand pull force is small and parts have high strength, big tenacity.

All these make the mini electric wire rope hoist with trolley safe and durable.

The products are popular at home and abroad.

It can be compared with the famous brand product in the world.



Winch System For Hoist





Gantry System With Ballast Box

Gantry System With Counter Weight Frame



OPTIONAL ACCESSORIES for SPANTECH HOISTS



LIFTABLE WHEEL BARROW

Galvanized frame resistant to chemicals and oxidant and 30x1.5mm of thickness.

Capacity: 200 Kgs.

Perfect for lifting concrete, send, bricks, cement

bag, grit etc.



BRICK HANDLING BASKET

Size: 0.84m X 0.84m X 0.44m

Capacity: 310 Ltr.

Perfect for lifting bricks, cement bag, buckets etc.



SPREADER BAR

Perfect for lifting of buckets or cross braces.



WEDGE SHAPE BUCKET

Size: 0.65m X 0.55/0.4m X 0.4m

Capacity: 120 Ltr.

Easy to empty, swivels through 360° rotation. Perfect for lifting send, grit, crushed stone etc.



CONCRETE BASKET

Capacity: 130 Ltr.

Perfect for lifting concrete etc. easy bottom discharge of material.



TOW BUCKET CARRIER FOUR BUCKET CARRIER

Perfect for lifting of multiple buckets or small barrels etc.





SPANTECH ENGINEERING INDUSTRIES PVT. LTD.

845, GIDC, Makarpura Industrial Estate, Vadodara - 390 010. (Gujarat)
Mob.: Spares & Service - +91 9978674022, New Enquiry - +91 9978674023

Email: sales@spantechgroup.com