

### **Latest Advanced Technology in Safety Enhancing -**

This helps in greatly improving visibility under bad weather conditions, especially at night, rainy/foggy conditions.

Some of the other features of our products include:

- No need of Cable Laying, Road Trenching and No Power Failure
- Built in Solar Panel that comes with fully automatic rechargeable system
- Super Bright LED Lamps for delivering longer life time
- Better mobility, reliability and flexibility

### **Slim Solar Hazard Sign-9 Circles -**

- To slow down around Traffic Island or Median opening
- Size: 600 x600mm
- Thickness: 5±1 mm
- Battery: 7.2V 2500mAH Li-Ion
- Solar Panel: 10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: Amber
- LEO Lamps: 36 pcs
- Warning: More than 500 mtrs. Distance

### **Slim Solar Chevron Sign Curve Guidance -**

- Size: 600 x750mm
- Thickness: 5±1 mm
- Battery: 7.2V 2500mAH Li-Ion
- Solar Panel:10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: Red or Amber

- LED Lamps: 90 pcs
- Warning: More than 500 mtrs. Distance

#### **Slim Solar Chevron Sign 3 Arrows Diversion -**

- Size: 750 x450mm
- Thickness: 5±1 mm
- Battery: 7.2V2500mAHU-Li-lon
- Solar Panel:10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: Red or Amber
- LED Lamps: 81 pcs
- Warning: More than 500 mtrs. Distance

#### **Slim Solar Parking Sign Parking Indication -**

- Size: 650 x 700mm
- Thickness: 5+/-1 mm
- Battery: 7.2V 2500mAH Li-lon
- Solar Panel: 10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: White
- LEO Lamps: 22 pcs
- Warning: More than 500 mtrs. Distance

#### **Slim Solar U Turn Sign U Turn Road Ahead -**

- Size: 600 x750mm
- Thickness: 5±1 mm
- Battery: 7.2V2500mAHLi-lon

- Solar Panel: 10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: White
- LED Lamps: 39 pcs
- Warning: More than 500 mtrs. Distance

#### **Slim Solar Triangle Warning Sign Warning Speed Breaker -**

- Edge length: 600 x750mm
- Thickness: 5±1 mm
- Battery: 7.2V2500mAH Li-ion
- Solar Panel: 10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: Red
- LED Lamps: 40 pcs.
- Warning: More than 500 mtrs. Distance

#### **Slim Solar Speed Limit Sign Car Speed Limit -**

- Diameter: 650mm
- Thickness: 5±1 mm
- Battery: 7.2V 2500mAH Li-ion
- Solar Panel:10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: Red or Amber
- LED Lamps: 77 pcs
- Warning: More than 500 mtrs. Distance

### **Slim Solar Stop Sign Stop -**

- Diameter: 71 mm Width
- Thickness: 5±1 mm
- Battery: 7.2V 2500mAH Li-Ion
- Solar Panel: 10.5V 220mA
- Battery will be fully charged under Sunshine for 4 hours
- Material: Aluminium Board
- Color: White
- LED Lamps: 56 pcs
- Warning: More than 500 mtrs. Distance